

STATUS:

DATE: 11/03/2013

- NOTES:**
1. Refer to house type booklet for all standard elevation treatments
 2. Handing on schedule refers to the working drawings.



MATERIALS SCHEDULE – PRELIMINARY																																											
M90:136	Trinity South for Keepmoat Homes Ltd			MATERIALS																																							
				Brickwork – lbstock		Render – Weber		Weatherboarding – Eternit Cedral		Cladding – Eternit Operal		Tile – Russell		Windows – Yorkshire Windows		Door Type – Birtley		Door Colour																									
				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D																				
				Grainger Gold		Grainger Autumn		Chillingham Blend		Dilston Blend		Chalk		Light Blue		Sand		Granite Grey		Cream White		Grey		Grey Brown		Galloway (Slate grey)		Pennine (Terracotta)		Grey upvc		Durham		Raby		Pickering		Pigeon (BS 18C35)		Antelope (BS 08B21)		Hopsack (BS 10B17)	
				Colour of window frames, cills & Handles to be as above.																																							
PLOT NO	HOUSETYPE	VARIANT	HANDING	BEDROOMS /PERSONS	TERRACED / DETACHED / SEMI	BRICK	RENDER	WEATHER BOARD	CLADDING	TILE	GARAGE BRICKWORK	GARAGE ROOF TILE	Windows	Door Type	Door Colour																												
1	951	V1	AS	3B/5P	DETACHED-LINKED	A	A	A		A			A																														
2	1135	V1	AS	4B/6P	SEMI-LINKED	B	D	A		A	B	A	A																														
3	1135	Standard	OPP	4B/6P	SEMI	B	A	C		A	B	A	A																														
4	926	V1	AS	3B/5P	DETACHED	A	B	A		B	A	B	A																														
5	926	Standard	OPP	3B/5P	SEMI	C	C	A		B	A	B	A																														
6	1062	Standard	OPP	3B/5P	SEMI	A	D			B	A	B	A																														
7	951	V1	OPP	3B/5P	SEMI	A	D	A		A			A																														
8	951	Standard	AS	3B/5P	SEMI	C	C			A			A																														
9	951	V1	OPP	3B/5P	DETACHED	C	C	B		A			A																														
10	1062	Standard	OPP	3B/5P	END TERRACE	A	D			B	A	B	A																														
11	1062	Standard	OPP	3B/5P	TERRACE	C	D			B	C	A	A																														
12	988	V1	OPP	3B/5P	END TERRACE	C	C	B		B			A																														
13	988	Standard	AS	3B/5P	SEMI	C	C			A			A																														
14	775	V1	AS	2B/4P	SEMI	A	D	B		A			A																														
15	775	Standard	AS	2B/4P	END TERRACE	A	D			A			A																														
16	775	V1	OPP	2B/4P	TERRACE	C	C	A		A			A																														
17	775	Standard	OPP	2B/4P	END TERRACE	C	D			A			A																														
18	775	V1	AS	2B/4P	END TERRACE	A	D	A		A			A																														
19	775	Standard	OPP	2B/4P	TERRACE	A	D			A			A																														
20	988	Standard	OPP	3B/5P	END TERRACE	C	C			A			A																														
21	1062	V1	AS	3B/5P	SEMI	C	C			A	C	A	A																														
22	1062	Standard	OPP	3B/5P	SEMI	A	D			A	A	A	A																														
23	988	V1	OPP	3B/5P	END TERRACE	C	C	B		B			A																														
24	988	V1	OPP	3B/5P	TERRACE	A	D	A		B			A																														
25	1062	Standard	AS	3B/5P	END TERRACE	C	C			B	C	B	A																														
26	1062	Standard	OPP	3B/5P	SEMI	D	B			A	D	A	A																														
27	775	V2	OPP	2B/4P	SEMI	D	C	A		A			A																														
28	775	Standard	OPP	2B/4P	SEMI	A	D			A			A																														
29	775	V1	AS	2B/4P	SEMI	A	A	A		A			A																														
30	1062	Standard	AS	3B/5P	END TERRACE	B	B			B	B	B	A																														
31	775	V1	OPP	2B/4P	TERRACE	B	A	A		B			A																														
32	775	Standard	AS	2B/4P	END TERRACE	B	A			B			A																														
33	926	Standard	OPP	3B/5P	DETACHED	A	D	A		B	A	B	A																														
34	1135	Standard	AS	4B/6P	DETACHED	B	A	C		A	B	A	A																														
35	951	V1	AS	3B/5P	SEMI	A	A	A		A			A																														
36	951	Standard	OPP	3B/5P	SEMI	A	D			A			A																														
37	988	V2	AS	3B/5P	SEMI	B	B		A	B			A																														
38	988	V1S	OPP	3B/5P	SEMI	B	D	A		B			A																														
39	1135	Standard	AS	4B/6P	DETACHED	A	A	C		B	A	B	A																														
40	988	Standard	OPP	3B/5P	SEMI	A	D			A			A																														
41	1062	Standard	OPP	3B/5P	SEMI	A	B			A			A																														
42	1062	V1	AS	3B/5P	SEMI	B	A			A			A																														
43	988	V2	AS	3B/5P	SEMI	B	D		A	A			A																														
44	988	Standard	AS	3B/5P	SEMI	A	A			A			A																														
45	1062	Standard	OPP	3B/5P	SEMI-LINKED	A	B			A	A	A	A																														
46	951	V1	AS	3B/5P	DETACHED-LINKED	A	A	C		A			A																														
47	1135	Standard	AS	4B/6P	DETACHED	B	D	A		A	B	A	A																														
48	926	V1	AS	3B/5P	DETACHED	B	A	C		B	B	B	A																														
49	988	Standard	OPP	3B/5P	SEMI	A	B			B			A																														
50	1062	Standard	OPP	3B/5P	SEMI	A	A			B	A	B	A																														
51	988	Standard	OPP	3B/5P	SEMI	B	D			A			A																														
52	988	V1	AS	3B/5P	SEMI	B	B	A		A			A																														
53	1062	V1	AS	3B/5P	END TERRACE	D	B			A	D	A	A																														

STATUS:

DATE: 11/03/2013

- NOTES:**
1. Refer to house type booklet for all standard elevation treatments
 2. Handing on schedule refers to the working drawings.



MATERIALS SCHEDULE – PRELIMINARY																																											
M90:136	Trinity South for Keepmoat Homes Ltd			MATERIALS																																							
				Brickwork – lbstock		Render – Weber		Weatherboarding – Eternit Cedral		Cladding – Eternit Operal		Tile – Russell		Windows – Yorkshire Windows		Door Type – Birtley		Door Colour																									
				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D																				
				Grainger Gold		Grainger Autumn		Chillingham Blend		Dilston Blend		Chalk		Light Blue		Sand		Granite Grey		Cream White		Grey		Grey Brown		Galloway (Slate grey)		Pennine (Terracotta)		Grey upvc		Durham		Raby		Pickering		Pigeon (BS 18C35)		Antelope (BS 08B21)		Hopsack (BS 10B17)	
				Colour of window frames, cills & Handles to be as above.																																							
PLOT NO	HOUSE TYP E	VARIANT	HANDING	BEDROOMS /PERSONS	TERRACED / DETACHED / SEMI	BRICK	RENDER	WEATHER BOARD	CLADDING	TILE	GARAGE BRICKWORK	GARAGE ROOF TILE	Windows	Door Type	Door Colour																												
54	988	V1	OPP	3B/5P	TERRACE	A	A	C		A			A																														
55	988	V3	AS	3B/5P	END TERRACE	A	A			A			A																														
56	775	Standard	OPP	2B/4P	END TERRACE	D	A			B			A																														
57	775	V1	AS	2B/4P	TERRACE	D	A	C		B			A																														
58	988	Standard	OPP	3B/5P	TERRACE	A	A			B			A																														
59	988	V2	AS	3B/5P	END TERRACE	A	A		A	B			A																														
60	775	Standard	OPP	2B/4P	END TERRACE	C	A			B			A																														
61	775	V1	AS	2B/4P	TERRACE	C	C	B		B			A																														
62	775	Standard	AS	2B/4P	END TERRACE	C	D			B			A																														
63	1250	Standard	AS	4B/6P	DETACHED-LINKED	D	A	B		A	D	A	A																														
64	1135	V1	AS	4B/6P	SEMI-LINKED	D	D	A		A	D	A	A																														
65	1135	Standard	OPP	4B/6P	SEMI	D	C	B		A	D	A	A																														
66	1062	Standard	AS	3B/5P	SEMI	C	D			A			A																														
67	988	V1	AS	3B/5P	SEMI	C	A	B		A			A																														
68	1062	V1	AS	3B/5P	SEMI	D	C			B			A																														
69	1062	V2	OPP	3B/5P	SEMI	D	D	A		B			A																														
70	988	V1	AS	3B/5P	SEMI	D	C	A		B			A																														
71	1062	Standard	OPP	3B/5P	SEMI	D	D			B	D	B	A																														
72	1062	V2	AS	3B/5P	SEMI	C	C	A		A			A																														
73	1062	Standard	OPP	3B/5P	SEMI	C	A			A			A																														
74	1135	V1	AS	4B/6P	SEMI	C	C	A		A			A																														
75	1135	Standard	OPP	4B/6P	SEMI	C	A	B		A			A																														
76	775	V2	AS	2B/4P	END TERRACE	D	D	A		A			A																														
77	775	Standard	OPP	2B/4P	TERRACE	D	C			A			A																														
78	775	V2	AS	2B/4P	TERRACE	D	A	B		A			A																														
79	988	V1	AS	3B/5P	END TERRACE	D	C	B		A			A																														
80	775	V1	OPP	2B/4P	END TERRACE	D	A	A		A			A																														
81	775	Standard	OPP	2B/4P	TERRACE	D	C			A			A																														
82	775	V1	OPP	2B/4P	END TERRACE	A	A	C		A			A																														
83	988	V2	OPP	3B/5P	END TERRACE	A	A		A	A			A																														
84	988	Standard	OPP	3B/5P	TERRACE	D	C			A			A																														
85	1062	Standard	OPP	3B/5P	TERRACE	D	B			A	D	A	A																														
86	1062	Standard	OPP	3B/5P	END TERRACE	A	A			A	D	A	A																														
87	1062	Standard	OPP	3B/5P	END TERRACE	D	B			A	D	A	A																														
88	988	Standard	OPP	3B/5P	TERRACE	D	C			A			A																														
89	988	V2	OPP	3B/5P	END TERRACE	A	A		A	A			A																														
90	988	V1	OPP	3B/5P	SEMI	D	C		A	A			A																														
91	775	Standard	OPP	2B/4P	SEMI	A	A			A			A																														
92	988	Standard	OPP	3B/5P	END TERRACE	D	A			B			A																														
93	775	V2	AS	2B/4P	TERRACE	D	C	A		B			A																														
94	988	V1	AS	3B/5P	END TERRACE	D	A	B		B			A																														
95	1250	V1	OPP	4B/6P	SEMI	C	C	B		A	C	A	A																														
96	1250	Standard	AS	4B/6P	SEMI	C	D	A		A	C	A	A																														
97	988	V1	AS	3B/5P	DETACHED	D	A	B		A			A																														
98	775	V2	AS	2B/4P	END TERRACE	C	A	B		A			A																														
99	775	Standard	OPP	2B/4P	TERRACE	C	D			A			A																														
100	775	V2	AS	2B/4P	TERRACE	C	C	A		A			A																														
101	775	V1	OPP	2B/4P	END TERRACE	C	D	B		A			A																														
102	926	Standard	AS	3B/5P	DETACHED	D	C	B		B			A																														
103	1062	V2	AS	3B/5P	END TERRACE	C	A+(D panel)	B		B	C	B	A																														
104	988	Standard	OPP	3B/5P	TERRACE	C	D			B			A																														
105	988	V1	OPP	3B/5P	END TERRACE	C	C	B		B			A																														
106	775	V2	OPP	2B/4P	SEMI	D	A	B		A			A																														

STATUS:

DATE: 11/03/2013

- NOTES:**
1. Refer to house type booklet for all standard elevation treatments
 2. Handing on schedule refers to the working drawings.



MATERIALS SCHEDULE – PRELIMINARY																																											
M90:136	Trinity South for Keepmoat Homes Ltd			MATERIALS																																							
				Brickwork – lbstock		Render – Weber		Weatherboarding – Eternit Cedral		Cladding – Eternit Operal		Tile – Russell		Windows – Yorkshire Windows		Door Type – Birtley		Door Colour																									
				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D																				
				Grainger Gold		Grainger Autumn		Chillingham Blend		Dilston Blend		Chalk		Light Blue		Sand		Granite Grey		Cream White		Grey		Grey Brown		Galloway (Slate grey)		Pennine (Terracotta)		Grey upvc		Durham		Raby		Pickering		Pigeon (BS 18C35)		Antelope (BS 08B21)		Hopsack (BS 10B17)	
				Colour of window frames, cills & Handles to be as above.																																							
PLOT NO	HOUSETYP E	VARIANT	HANDING	BEDROOMS /PERSONS	TERRACED / DETACHED / SEMI	BRICK	RENDER	WEATHER BOARD	CLADDING	TILE	GARAGE BRICKWORK	GARAGE ROOF TILE	Windows	Door Type	Door Colour																												
107	775	V1	AS	2B/4P	SEMI	D	D	A		A			A																														
108	1250	V1	OPP	4B/6P	SEMI	C	C	A		A	C		A																														
109	1250	Standard	AS	4B/6P	SEMI-LINKED	C	A	B		A	C		A																														
110	988	Standard	AS	3B/5P	END TERRACE-LINKED	D	A			B	C		A																														
111	988	V1	AS	3B/5P	TERRACE	D	C	A		B			A																														
112	951	V1	OPP	3B/5P	END TERRACE	D	A	B		B			A																														
113	1062	Standard	AS	3B/5P	END TERRACE	D	B			B	D		B																														
114	951	V1	OPP	3B/5P	TERRACE	A	A	C		B			A																														
115	951	Standard	AS	3B/5P	END TERRACE	A	A			B			A																														
116	1062	V2	AS	3B/5P	END TERRACE	B	C	A		B	B		B																														
117	988	V1	OPP	3B/5P	TERRACE	B	C	C		B			A																														
118	1062	Standard	AS	3B/5P	END TERRACE-LINKED	B	D			B	B		B																														
119	1135	V1	AS	4B/6P	SEMI-LINKED	D	D	A		A	B		B																														
120	1135	Standard	OPP	4B/6P	SEMI-LINKED	D	C	C		A	D		A																														
121	1250	V1	OPP	4B/6P	SEMI-LINKED	B	C	C		A	D		A																														
122	1250	Standard	AS	4B/6P	SEMI	B	D	A		A	B		A																														
123	775	V1	AS	2B/4P	END TERRACE	D	C	C		A			A																														
124	775	V2	OPP	2B/4P	TERRACE	D	D	A		A			A																														
125	775	V1	OPP	2B/4P	TERRACE	D	D	A		A			A																														
126	775	V2	OPP	2B/4P	TERRACE	D	C	C		A			A																														
127	775	Standard	OPP	2B/4P	END TERRACE	D	D			A			A																														
128	926	V1	OPP	3B/5P	END TERRACE	D	B	A		B			A																														
129	988	Standard	AS	3B/5P	TERRACE	D	A			B			A																														
130	988	Standard	AS	3B/5P	TERRACE	A	A			B			A																														
131	988	V1	AS	3B/5P	TERRACE	A	A	B		B			A																														
132	988	Standard	AS	3B/5P	END TERRACE	D	B			B			A																														
133	1062	Standard	AS	3B/5P	END TERRACE	D	B			A			A																														
134	988	Standard	OPP	3B/5P	TERRACE	D	A			A			A																														
135	775	V2	AS	2B/4P	TERRACE	A	A	B		A			A																														
136	775	V1	OPP	2B/4P	END TERRACE	A	A			A			A																														
137	951	V1	OPP	3B/5P	SEMI	B	D	A		A			A																														
138	988	Standard	AS	3B/5P	SEMI	B	D			B			A																														
139	988	V1	OPP	3B/5P	SEMI	B	C	C		B			A																														
140	988	V1	AS	3B/5P	END TERRACE	D	D	A		A			A																														
141	775	Standard	AS	2B/4P	TERRACE	D	D			A			A																														
142	775	V2	AS	2B/4P	TERRACE	D	C	C		A			A																														
143	988	Standard	OPP	3B/5P	END TERRACE	D	D			A			A																														
144	1062	V2	AS	3B/5P	SEMI	B	C	C		A	D		A																														
145	775	Standard	OPP	2B/4P	SEMI	B	D			A			A																														
146	988	V1	AS	3B/5P	SEMI	D	D	A		A			A																														
147	988	Standard	AS	3B/5P	SEMI	D	C			A			A																														
148	926	Standard	OPP	3B/5P	DETACHED	A	D	A		B	D		B																														
149	951	Standard	AS	3B/5P	SEMI	C	D			A			A																														
150	951	V1	OPP	3B/5P	SEMI	C	C	A		A			A																														
151	988	Standard	OPP	3B/5P	SEMI	A	D			A			A																														
152	988	V2	OPP	3B/5P	SEMI	C	C		A	A			A																														
153	1062	Standard	AS	3B/5P	SEMI	C	C			A	C		A																														
154	1062	V1	OPP	3B/5P	SEMI	C	C			A	C		A																														
155	988	Standard	AS	3B/5P	END TERRACE	A	D			B			A																														
156	988	V1	AS	3B/5P	TERRACE	A	D	A		B			A																														
157	775	Standard	AS	2B/4P	TERRACE	C	C			B			A																														
158	988	Standard	AS	3B/5P	END TERRACE	A	D			B	A		B																														
159	1062	Standard	AS	3B/5P	SEMI	C	C			B	C		B																														

STATUS:

DATE: 11/03/2013

- NOTES:**
1. Refer to house type booklet for all standard elevation treatments
 2. Handing on schedule refers to the working drawings.



MATERIALS SCHEDULE – PRELIMINARY																																											
M90:136	Trinity South for Keepmoat Homes Ltd			MATERIALS																																							
				Brickwork – lbstock		Render – Weber		Weatherboarding – Eternit Cedral		Cladding – Eternit Operal		Tile – Russell		Windows – Yorkshire Windows		Door Type – Birtley		Door Colour																									
				A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D																				
				Grainger Gold		Grainger Autumn		Chillingham Blend		Dilston Blend		Chalk		Light Blue		Sand		Granite Grey		Cream White		Grey		Grey Brown		Galloway (Slate grey)		Pennine (Terracotta)		Grey upvc		Durham		Raby		Pickering		Pigeon (BS 18C35)		Antelope (BS 08B21)		Hopsack (BS 10B17)	
				Colour of window frames, cills & Handles to be as above.																																							
PLOT NO	HOUSETYPE	VARIANT	HANDING	BEDROOMS /PERSONS	TERRACED / DETACHED / SEMI	BRICK	RENDER	WEATHER BOARD	CLADDING	TILE	GARAGE BRICKWORK	GARAGE ROOF TILE	Windows	Door Type	Door Colour																												
160	988	Standard	AS	3B/5P	SEMI-LINKED	C	D			B	C	A	A																														
161	1250	Standard	OPP	4B/6P	SEMI-LINKED	C	C	B		A	C	A	A																														
162	988	Standard	AS	3B/5P	SEMI	A	D			A			A																														
163	1062	Standard	AS	3B/5P	SEMI	A	D			A			A																														
164	1062	V1	AS	3B/5P	SEMI-LINKED	C	C			A	C	A	A																														
165	988	Standard	OPP	3B/5P	END TERRACE-LINKED	A	D			B			A																														
166	1062	Standard	OPP	3B/5P	TERRACE	C	D			B	C	B	A																														
167	1062	V1	OPP	3B/5P	END TERRACE	C	C			B	C	B	A																														
168	1250	Standard	AS	4B/6P	DETACHED-LINKED	D	B	A		B	D	B	A																														
169	1250	V1	AS	4B/6P	DETACHED-LINKED	A	A	B		B	D	B	A																														
170	988	Standard	OPP	3B/5P	END TERRACE	A	A			A			A																														
171	775	V1	AS	2B/4P	TERRACE	D	A	B		A			A																														
172	775	Standard	AS	2B/4P	TERRACE	D	B			A			A																														
173	775	Standard	AS	2B/4P	END TERRACE	D	A			A			A																														
174	1062	V3	OPP	3B/5P	DETACHED	B	D	A		B	B	B	A																														
175	988	V1	OPP	3B/5P	END TERRACE	D	C	C		A			A																														
176	775	Standard	OPP	2B/4P	TERRACE	D	D			A			A																														
177	775	V1	AS	2B/4P	END TERRACE	D	C	A		A			A																														
178	988	V1	OPP	3B/5P	SEMI	B	D	A		A			A																														
179	926	V1	AS	3B/5P	END TERRACE	B	C	C		A			A																														
180	775	V1	OPP	2B/4P	DETACHED	B	C	A		A			A																														
181	775	V2	AS	2B/4P	END TERRACE	B	D	A		A			A																														
182	775	Standard	OPP	2B/4P	SEMI	D	D			A			A																														
183	775	V2	AS	2B/4P	SEMI	D	C	C		A			A																														
184	1062	Standard	AS	3B/5P	END TERRACE	B	C			A	B	A	A																														
185	775	V1	OPP	2B/4P	DETACHED	B	D	A		A			A																														
186	951	V1	OPP	3B/5P	END TERRACE	B	C	A		A			A																														
187	926	Standard	AS	3B/5P	DETACHED	A	A	B		A			A																														
188	988	V2	AS	3B/5P	SEMI	D	A		A	A			A																														
189	1062	Standard	OPP	3B/5P	SEMI-LINKED	D	B			A	D	A	A																														
190	1062	Standard	AS	3B/5P	SEMI-LINKED	D	A			A	D	A	A																														
191	1062	V2	OPP	3B/5P	SEMI-LINKED	D	B	A		A	D	A	A																														
192	1062	V2	AS	3B/5P	SEMI-LINKED	A	A+(B panel)	B		A	D	A	A																														
193	988	V3	AS	3B/5P	SEMI	D	B+(A panel)			A			A																														
194	951	Standard	AS	3B/5P	END TERRACE	D	A			B			A																														
195	775	Standard	OPP	2B/4P	TERRACE	D	B			B			A																														
196	988	Standard	OPP	3B/5P	END TERRACE	A	A			B			A																														
197	951	Standard	AS	3B/5P	SEMI	A	A			A			A																														
198	1062	Standard	AS	3B/5P	SEMI	A	A			A			A																														
199	Apartment	TYPE 1	AS	2B/3P	N/A								A																														
200	Apartment	TYPE 1	AS	2B/3P	N/A								A																														
201	Apartment	TYPE 1	AS	2B/3P	N/A								A																														
202	Apartment	TYPE 1	AS	2B/3P	N/A								A																														
203	Apartment	TYPE 1	AS	2B/3P	N/A					B			A																														
204	Apartment	TYPE 1	AS	2B/3P	N/A					B			A																														
205	Apartment	TYPE 1	AS	2B/3P	N/A								A																														
206	Apartment	TYPE 2	AS	2B/3P	N/A								A																														
207	Apartment	TYPE 1	AS	2B/3P	N/A								A																														
208	Apartment	TYPE 2	AS	2B/3P	N/A								A																														
209	Apartment	TYPE 1	AS	2B/3P	N/A					B			A																														
210	Apartment	TYPE 2	AS	2B/3P	N/A					B			A																														
211	Apartment	TYPE 2	AS	2B/3P	N/A								A																														
212	Apartment	TYPE 1	AS	2B/3P	N/A								A																														

STATUS:

DATE: 11/03/2013

- NOTES:**
1. Refer to house type booklet for all standard elevation treatments
 2. Handing on schedule refers to the working drawings.



MATERIALS SCHEDULE – PRELIMINARY																			
M90:136	Trinity South for Keepmoat Homes Ltd			MATERIALS															
				Brickwork – lbstock		Render – Weber		Weatherboarding – Eternit Cedral		Cladding – Eternit Operal		Tile – Russell		Windows – Yorkshire Windows		Door Type – Birtley		Door Colour	
				A	Grainger Gold	A	Chalk	A	Cream White	A	Grey	A	Galloway (Slate grey)	A	Grey upvc	A	Durham	A	Pigeon (BS 18C35)
				B	Grainger Autumn	B	Light Blue	B	Grey			B	Pennine (Terracotta)	Colour of window frames, cills & Handles to be as above.		B	Raby	B	Antelope (BS 08B21)
				C	Chillingham Blend	C	Sand	C	Grey Brown			C	Pickering	C	Hopsack (BS 10B17)				
D	Dilston Blend	D	Granite Grey																
PLOT NO	HOUSETYPE	VARIANT	HANDING	BEDROOMS /PERSONS	TERRACED / DETACHED / SEMI	BRICK	RENDER	WEATHER BOARD	CLADDING			TILE	GARAGE BRICKWORK	GARAGE ROOF TILE	Windows	Door Type	Door Colour		
213	Apartment	TYPE 2	AS	2B/3P	N/A								A						
214	Apartment	TYPE 1	AS	2B/3P	N/A								A						
215	Apartment	TYPE 2	AS	2B/3P	N/A					B			A						
216	Apartment	TYPE 1	AS	2B/3P	N/A					B			A						
217	Apartment	TYPE 2	AS	2B/3P	N/A								A						
218	Apartment	TYPE 1	AS	2B/3P	N/A								A						
219	Apartment	TYPE 2	AS	2B/3P	N/A								A						
220	Apartment	TYPE 1	AS	2B/3P	N/A								A						
221	Apartment	TYPE 2	AS	2B/3P	N/A					B			A						
222	Apartment	TYPE 1	AS	2B/3P	N/A					B			A						