

Application No.: ST/0066/15/FUL

Planning Permission Condition (s). version A 22/7/15

3. Architectural Features

Proposed bricks. Wienerberger Hathaway Brindled

Red multi traditional soft mud stock brick with 3/4mm recessed brushed pointing.



Proposed Stone Surrounds Forticrete type/colour *Portland*.


Colours

Portland




Proposed Roof tiles. Forticrete Gemini Slate Grey

Gemini® is an award winning twin interlocking plain tile which is suitable for pitches down to 22.5° and is available in 11 colours.




Proposed Windows. Double glazed Double glazed turn and tilt Timber Aluminium. Oak interior, exterior in RAL colour RAL 1015 Light Ivory.



Bifold doors double glazed all Aluminium in RAL 1015.

EURO design line contains elegant inward opening European style products. This is a most popular and common line in Continental Europe. The products of this line are manufactured either from 68 mm or 78 mm wide profiles from any timber species offered (finger-joint or solid pine, meranti, mahogany, oak, etc.).

EURO tilt and turn windows are suitable for apartments, private houses and commercial buildings. The EURO line windows offer easy cleaning & maintenance, as they open inwards. If your project requires especially large or non-standard measurement units the EURO 78 mm profile can be used.



4. Landscape.

Please see attached sketch showing proposed landscape layout.

5. Trees.

All trees have been protected in accordance with the planning application.

6. Hardstanding, driveway and front stone wall.

Steve we need some words regarding the construction of the above. You already have a sketch of the wall foundations.

Other items in 7 and 8 (Working around ash tree) have and are been adhered to.

Item 9 times of permitted work is straight forward.

Item 10 obscure glass will be fitted as required by planning permission.