

Existing sanitary provision to be removed  
Male 1 WC cubicle and 1 washbasin  
Female 1 WC cubicle and 1 washbasin  
1 Accessible WC below current standards


Proposed new sanitary provision  
Male 1 WC cubicle with integral washbasin 2 urinals and 1 washbasin  
Female 3 WC cubicles and 3 washbasins  
1 Accessible WC to current BRegs ADM standards  
Opposite hand to accessible WC in the Annex.

Ref BS6465-1:2006 +A1:2009 Ref 6.9 - Provision in assembly buildings where WC use not concentrated at intervals  
3 WC's and 2 washbasins min accommodates 70 females  
1 WC accommodates 250 males 2 urinals accommodates 200 males 300 males 2 washbasins min  
Note Unisex accessible WC adds additional capacity

Alterations/works proposed to the original church

No alterations/works proposed to annex

**Proposed Ground Floor**



Revisions	Date:
<b>Access and Inclusion by Design</b>	
69 Colindale Avenue South Shields Tyne and Wear NE33 3HA T 0191 420 0834 E dgrbhd@aiddesign.co.uk	
<b>Client:</b> Living Waters Church	
<b>Project:</b> Replanning, new toilets and refurbishment of original church	
<b>Drawing Title:</b> Proposed ground floor plan	
<b>Drawn:</b> DJG	<b>Scale:</b> 1:100 @ A3
<b>Checked:</b>	<b>Date:</b> Aug 2015
<b>Project No:</b> 013	<b>Drawing No:</b> Rev