



24/7

SCAN  
TAP  
& GO

Download our app to  
collect parcels in a tap



inpost.co.uk  
0330 335 0950

CCTV in use

INPOST UK



# Confidentiality

This document constitutes strictly confidential information intended solely for the use of the person or entity to whom it is addressed. If you are not the intended recipient, any disclosure, copying, distribution, dissemination or other use of or action in reliance on the contents of this information is strictly prohibited. It is also forbidden to share any part of this document with any third party, without a written consent of InPost UK Limited. All content, such as text, graphics, images, data compilations etc. contained in this document are the property or trademarks of InPost UK Limited.

All information, content, materials regarding products and/or services provided by InPost UK Limited in this document is provided on an “as is” and “as available” basis. We make no representations or warranties of any kind, express or implied, regarding the information contained herein, in particular in the context of the merchantability or fitness for any particular purpose of its products and services. To the fullest extent permitted by law, we shall not be liable for any damages of any kind arising from or connection with any information, content, materials contained in or otherwise made available to you through these documents.

# SAFE SECURE TAILORED TO YOUR LOCATION

- Roof with 2 cameras
- Fully outdoor, tested in climate chamber
- Shock and floor sensor
- Polymer concrete base
- Multiple locker sizes and configurations
- Internal and external lockers available



InPost Parcel Lockers can be extended, vertically modified and even created in an 'L shape' to maximise the available space at your premises.

# InPost<sup>®</sup> FM<sup>™</sup>

Modular version combined for outdoor

- **Roof with 2 cameras**  
(version with or without roof and cameras)
- **LED lighting over each module**
- **12.1 inch vertical touch screen**
- **Polymer concrete base**



# InPost® Central 2m FM™

## Module "Central Quattro"

### Dimensions/Weight

|        |                |
|--------|----------------|
| Width  | 2011 mm        |
| Height | 2221-2424 mm   |
| Depth  | 919 mm         |
| Weight | ~900 - 1000 kg |

### Locker Sizes

|               |                    |
|---------------|--------------------|
| Small boxes:  | 88 x 410 x 664 mm  |
| Medium boxes: | 170 x 410 x 664 mm |
| Large boxes:  | 385 x 410 x 664 mm |

### Power Requirements


- Feed: 230 V AC 50 Hz
- Power consumption: 120~600 W\* (15 W per additional module)
- Monthly electric power consumption: 90 kWh

\* dependent on the equipment (heater, etc.). Taking into account central module with two locker modules.



# InPost® FM Central 2m™

## Dimensions



# InPost® FM with 0.5m Extension

## Module "Central Quattro" with 0.5m Unit

### Dimensions/Weight

|        |                |
|--------|----------------|
| Width  | 2493 mm        |
| Height | 2221-2424 mm   |
| Depth  | 919 mm         |
| Weight | ~900 - 1000 kg |

### Locker Sizes

|               |                    |
|---------------|--------------------|
| Small boxes:  | 88 x 410 x 664 mm  |
| Medium boxes: | 170 x 410 x 664 mm |
| Large boxes:  | 385 x 410 x 664 mm |

### Power Requirements


- Feed: 230 V AC 50 Hz
- Power consumption: 120~600 W\* (15 W per additional module)
- Monthly electric power consumption: 90 kWh

\* dependent on the equipment (heater, etc.). Taking into account central module with two locker modules.



# InPost® locker with 0.5m Extension

## Dimensions





# InPost® FM with 1m extension

## Module "Central Quattro" with 1m Unit

### Dimensions/Weight

|        |                       |
|--------|-----------------------|
| Width  | 2944 mm               |
| Height | 2221-2424 mm          |
| Depth  | 919 mm                |
| Weight | ~900 - 1000 kg per 2m |

### Locker Sizes

|               |                    |
|---------------|--------------------|
| Small boxes:  | 88 x 410 x 664 mm  |
| Medium boxes: | 170 x 410 x 664 mm |
| Large boxes:  | 385 x 410 x 664 mm |

### Power Requirements


- Feed: 230 V AC 50 Hz
- Power consumption: 120~600 W\* (15 W per additional module)
- Monthly electric power consumption: 90 kWh

\* dependent on the equipment (heater, etc.). Taking into account central module with two locker modules.



# InPost® FM with 1m extension

## Dimensions



Note: InPost Lockers increase in 0.5m 1m and 2m modular sections up to 12 m with the minimum that can be installed being the central 2m NFM unit.

# InPost® FM with 2m Extension

## Module "Central Quattro" with 2m Unit

### Dimensions/Weight

|        |                       |
|--------|-----------------------|
| Width  | 3939 mm               |
| Height | 2221-2424 mm          |
| Depth  | 919 mm                |
| Weight | ~900 - 1000 kg per 2m |

### Locker Sizes

|               |                    |
|---------------|--------------------|
| Small boxes:  | 88 x 410 x 664 mm  |
| Medium boxes: | 170 x 410 x 664 mm |
| Large boxes:  | 385 x 410 x 664 mm |

### Power Requirements

- Feed: 230 V AC 50 Hz
- Power consumption: 120~600 W\* (15 W per additional module)
- Monthly electric power consumption: 90 kWh

\* dependent on the equipment (heater, etc.). Taking into account central module with two locker modules.



# InPost<sup>®</sup> FM with 2m Extension

## Dimensions

Note: InPost Lockers increase in 0.5m, 1m and 2m modular sections up to 12m with the minimum that can be installed being the central 2m NFM unit.

