



BIODIVERSE
CONSULTING

MARSDEN COTTAGE

BAT REPORT

FOR: AMIRUL ISLAM

REF: BIOC24-079 | V1.0



CLIENT	PROJECT	
Amirul Islam 47 Beach road, South Shields, NE33 2QZ	Project Name:	Marsden Cottage
	Project code:	BioC24-079
	Prepared by:	Madeline Money BSc (Hons)
	Reviewed by:	Dr Caroline Hillier MCIEEM
	Approved by:	Victoria Mordue MSc MloD AIEMA
	Date:	July 01, 2025

DOCUMENT CONTROL

VERSION	DATE	CHANGES	CONFIDENTIALITY	PREP	REV	AUTH
V1.0	01/07/25	N/A	N/A	MM	CH	VM



CLIENT AGREEMENT

This report is issued to the Client for the purpose stated in the Agreement between the Client and Biodiverse Consulting Ltd (the “Engagement Terms”), under which this work was undertaken. The report may only be used and, in particular relied upon, for the specific purpose in relation to which the Services were commissioned and agreed by Biodiverse Consulting to be provided.

The content of the report should be read subject to any assumptions that are referred to in the description of the Services specified in the Engagement Terms.

Copyright remains with Biodiverse Consulting Ltd subject to the licenced rights granted to the Client to reproduce and use the report as provided for in the Engagement Terms. The report is only intended for the Client and must not be relied upon or reproduced by anyone other than the Client without the express written agreement of Biodiverse Consulting Ltd. The use of this report by unauthorised persons is at their own risk. Biodiverse Consulting Ltd accepts no duty of care to any such party.

FIELD INVESTIGATIONS, DATA & REPORTS

Where field investigations have been carried out, these have been restricted to a level of detail required to achieve the stated objectives of work within the scope of the Services. Where any data supplied by the client or from other sources [requested to be taken into account by the Client] have been used it has been assumed that the information is correct. No responsibility can be accepted by Biodiverse Consulting Ltd. for inaccuracies in the data supplied by any other party. Furthermore, the findings and any recommendations contained within the report and all assessments and opinions of Biodiverse Consulting Ltd expressed in the report are based entirely on the facts and circumstances at the time the specific tasks requiring reliance on particular facts or circumstances were undertaken or in certain cases at the date of completion of the report.

DECLARATION OF COMPLIANCE

“The information which we have prepared and which form the content of this report is provided on a basis that to the best of the knowledge and belief of Biodiverse Consulting is accurate. The Services provided and this Report have been undertaken in accordance with the Chartered Institute of Ecology and Environmental Management’s Code of Professional Conduct. We confirm that the opinions expressed within this document are our true and professional bona fide opinions”. It must be noted that none of the information provided within this report constitutes legal opinion.

STATUTORY DISCLOSURE OBLIGATION

Where required to do so by law or regulatory authority, Biodiverse Consulting Ltd may disclose any information obtained from the Client to a third party. Should Biodiverse Consulting Ltd become aware that the Client has breached or is likely to breach legislation relating to wildlife or the environment, Biodiverse Consulting Ltd will be entitled to disclose such information to the relevant authority, including the relevant governmental body or the police.

THIRD PARTY DISCLAIMER

Any disclosure of this report to a third party is subject to this disclaimer. The report was prepared by Biodiverse Consulting at the instruction of, and for sole use by, our client named on the front of the report. It does not in any way constitute advice to any third party who is able to access it by any means. No other warranty, expressed or implied is made as to the professional advice included in this report that may be relied upon by a third party.



EXECUTIVE SUMMARY

Biodiverse Consulting Ltd. was commissioned in August 2024 to undertake an assessment of development proposals in relation to bats at Marsden Cottage, Lizard Lane South Shields, NE34 7AD. The Site comprises a two-storey residential dwelling with a main access road to the front and a large, shared garden with trees to the rear and an additional out building. Both buildings are to be demolished with the main building redeveloped into another residential dwelling.

The table below presents a summary of the survey and assessment findings.

ECOLOGICAL CONSIDERATIONS FOR THE PROPOSALS			
	Key results	Requirement for further survey?	Licence?
External Preliminary Roost Assessment (PRA) for Main Building and Outbuilding	High suitability for roosting bats on the main building. The outbuilding has negligible suitability.	For the Main Building - Three dusk emergence surveys. - Two hibernation survey	N/A
Presence/likely absence surveys (dusk emergence)	The first survey in August 2024 identified four Pipistrelle sp. roosts, further surveys identified no roosts suggesting these are day roosts likely used periodically	No	Yes
Bat Hibernation Surveys	Two hibernation surveys (November – March) identified no evidence of hibernating bats.	No	No



CONTENTS

1	INTRODUCTION	7
1.1	SITE LOCATION & DESCRIPTION	7
1.2	REPORT OBJECTIVES	7
1.3	DEVELOPMENT PROPOSALS	8
2	METHODOLOGY	9
2.1	SURVEY AREA	9
2.2	DESK STUDY	9
2.3	FIELD SURVEY	10
2.3.1	PRELIMINARY ROOST ASSESSMENT	10
2.3.2	PRESENCE/LIKELY ABSENCE (DUSK EMERGENCE) SURVEYS	11
2.3.3	BAT HIBERNATION SURVEYS	12
2.3.4	NIGHT VISION AIDS	12
2.4	DATA ANALYSIS	12
2.5	ASSESSMENT METHODOLOGY	13
2.6	LIMITATIONS	13
3	RESULTS	14
3.1	DESK STUDY	14
3.1.1	DESIGNATED SITES	14
3.1.2	EUROPEAN PROTECTED SPECIES LICENCING FOR BATS	15
3.1.3	LANDSCAPE CONTEXT	16
3.2	FIELD SURVEYS	17
3.2.1	PRELIMINARY ROOST ASSESSMENT	17
3.2.2	DUSK EMERGENCE SURVEYS	21
3.2.3	BAT HIBERNATION SURVEYS	22
4	SITE ASSESSMENT	23
4.1	SITE ASSESSMENT	23
4.1.1	ROOSTS	23
4.1.2	COMMUTING AND FORAGING HABITAT	23
4.2	ASSESSMENT OF VALUE	24
4.3	IMPACT ASSESSMENT	24



5	RECOMMENDATIONS	25
5.1	AVOIDANCE MEASURES	25
5.2	MITIGATION STRATEGY	25
5.3	COMPENSATION SCHEME	25
APPENDICES		26
	APPENDIX A – POLICY AND LEGISLATION	27
	APPENDIX B – VALUE OF ECOLOGICAL RECEPTORS	29
	APPENDIX C – BAT SUITABILITY AND SURVEY EFFORT	31
	APPENDIX D - BAT ROOST EMERGENCE POINT LOCATIONS	34
	APPENDIX E – BAT BRICK SPECIFICATION	36




1 INTRODUCTION

1.1 SITE LOCATION & DESCRIPTION

The Site is located at Lizard Lane, South Shields, NE34 7AD at an approximate central grid reference of NZ 39744 64493. The Site comprises the main residential building, access road with a grass verge and trees, a large garden to the rear and a small outbuilding.

FIGURE 1: SITE LOCATION



1.2 REPORT OBJECTIVES

The objectives of this report are to:

- Present survey methods and results
- Assess the value of the Site for bats
- Identify any additional survey requirements in relation to bats
- Determine whether a Natural England European Protected Species Mitigation Licence is required



1.3 DEVELOPMENT PROPOSALS

The development proposal are understood to include the demolition of the existing buildings and redevelop the main building into a new residential dwelling based on plans at the production of this report (1576-FITZ-XX-02-DR-A-(05)3003_P1 - Proposed Site Plan)

FIGURE 2: PROPOSED SITE LAYOUT





2 METHODOLOGY

2.1 SURVEY AREA

The survey area comprised the 'Site' (Figure 3).

FIGURE 3: SURVEY AREA



2.2 DESK STUDY

A desk study was undertaken to assess the nature of the surrounding habitats and included:

- An assessment of aerial imagery and Ordnance Survey mapping within 1km of the site.
- A search of the MAGIC¹ website for designated sites and European Protected Species licensing for bats within 2km of the Site, and for statutory designated sites for bats.

¹ Multi Agency Geographic Information for the Countryside (www.magic.gov.uk)



2.3 FIELD SURVEY

Survey methodology followed Bat Conservation Trust (BCT) Guidelines 2023². Table 1 details weather conditions on each survey occasion.

TABLE 1: SURVEY CONDITIONS

SURVEY	DATE	TEMP.	CLOUD	PRECIPITATION	WIND ³
Daytime Bat Walkover (DBW) & External Preliminary Roost Assessment (PRA)	20/08/24	16°C	30%	None	3BF
Visit 1: Presence/likely absence survey (dusk emergence)	28/08/24	13°C	30%	None	2BF
Visit 2: Presence/likely absence survey (dusk emergence)	19/09/24	13°C	100%	None	1BF
Visit 3: Bat hibernation survey	18/11/24	1°C	20%	None	1BF
Visit 4: Bat hibernation survey	09/01/2025	-1°C	20%	None	2BF
Visit 5: Presence/likely absence survey (dusk emergence)	03/06/2025	11°C	50%	None	4BF

2.3.1 PRELIMINARY ROOST ASSESSMENT

Survey methods and assessment are based on the Bat Conservation Trust (BCT) Good Practice Guidelines¹. A Ground Level Tree Assessment (GLTA) determined the value of trees and a Preliminary Roost Assessment (PRA) determined the value of structures to roosting bats and the need for further survey and/or mitigation.

A Daytime Bat Walkover (DBW) assessed habitats for bats to roost, commute, and forage both on Site and in the surrounding area. The aim is to determine the suitability of the Site for bats, to assess whether further bat surveys will be needed and how those surveys should be safely carried out.

The survey was conducted by experienced Ecologist’s Siobhan Bailey BSc (2024-11854-CL17-BAT), and Madeline Money BSc.

The following equipment was utilised during survey:

² Collins, J. (ed.) (2023) Bat Surveys for Professional Ecologists: Good Practice Guidelines. 4th Edition. Bat Conservation Trust.

³ Beaufort wind force scale (<https://www.metoffice.gov.uk/weather/guides/coast-and-sea/beaufort-scale>)



- Binoculars
- Clulite Clubman Deluxe torch
- Digital Camera

2.3.2 PRESENCE/LIKELY ABSENCE (DUSK EMERGENCE) SURVEYS

Presence/likely absence surveys were completed following the PRA results. All surveys were undertaken in accordance with BCT Guidelines 2023, with the addition of Night Vision Aids (NVAs). See Table 1 for metadata and Table 2 for surveyor information.

TABLE 2: SURVEYOR INFORMATION

NAME	EQUIPMENT	RECORDINGS?	YEARS OF EXPERIENCE	LICENSE?
VISIT 1: DUSK EMERGENCE				
MM	Echometer touch 2 pro + Tablet, Nightfox Whiskar Infrared Camera	Yes	2	No
DC	Echometer touch 2 pro + Tablet, Nightfox Whiskar Infrared Camera	Yes	1	No
VISIT 2: DUSK EMERGENCE				
JV	Echometer touch 2 pro + Tablet, Nightfox Whisker Infrared Camera	Yes	2	No
JC	Echometer touch 2 pro + Tablet, Nightfox Whisker Infrared Camera	Yes	1	No
LR	Echometer touch 2 pro + Tablet, Nightfox Whisker Infrared Camera	Yes	<1	No
VISIT 3: DUSK EMERGENCE				
MM	Anabat Scout, Nightfox Whiskar Infrared Camera	Yes	3	No



NAME	EQUIPMENT	RECORDINGS?	YEARS OF EXPERIENCE	LICENSE?
VISIT 1: DUSK EMERGENCE				
SB	Echometer touch 2 pro + Tablet, Nightfox Whisker Infrared Camera	Yes	<1	No
FO	Anabat Scout, Nightfox Whisker Infrared Camera	Yes	<1	No
MV	Echometer touch 2 pro + Tablet, Nightfox Whisker Infrared Camera	Yes	<1	No

2.3.3 BAT HIBERNATION SURVEYS

Two surveys were undertaken on the building identified as having suitability for hibernating bats in winter (November – March inclusive). A licenced ecologist carried out a close and systematic inspection of all cracks, crevices and voids using torches, mirrors and an endoscope.

2.3.4 NIGHT VISION AIDS

Nightfox Red Night Vision Goggles and Nightfox Whisker Night Vision Binoculars were used to record roosting or emerging bats with illumination using infra-red torches. Footage was assessed and analysed the following day.

2.4 DATA ANALYSIS

Following all surveys, bat calls are manually assessed and analysed, using Kaleidoscope Pro 5, enabling the full spectrum of the call to be assessed for data recorded with Echo Meters. Where possible bat calls are identified to species, referencing call parameters as detailed within Russ (2010)⁴, Middleton *et al* (2014)⁵ and Barataud (2015)⁶.

Bats are identified to species level, where possible, though it is noted that there can be a significant overlap in call parameters in some species, particularly the *Myotis* genus. *Myotis* bat calls are assessed using a range of indicators, though due to their modulated calls, a number of external factors can impact the reliability. As such *Myotis* bats will often be identified as *Myotis*

⁴ Russ, J.M. (2012) British Bat Calls: A Guide to Species Identification.

⁵ Middleton *et al* (2014) The Social Calls of the Bats of Britain and Ireland.

⁶ Barataud, M. (2015). Acoustic ecology of European bats. Species identification and studies of their habitats and foraging behaviour



sp. where identification to species cannot be confirmed. The use of full spectrum detectors gives a greater success rate in identification. The relative abundance of bats is measured in “Bat Call Passes” where a recording of a bat call, commuting or foraging, from any bat on Site is classed as a single bat pass.

2.5 ASSESSMENT METHODOLOGY

Guidance from the Chartered Institute of Ecology and Environmental Management (CIEEM) is utilised to provide habitat valuations. The level of value of specific ecological receptors is assigned using a geographic frame of reference. For, example international value being most important (SACs, SPAs and pSPAs), then national (SSSIs), regional, county (LWS), district (LNR), local and lastly, within the immediate zone of influence of the Site only (low).

Assessment of the importance of the bat assemblage on site was bats have been undertaken in line with the methodology presented in Reason & Reay (2023)⁷, which correlates with the geographic frame of reference. Within which they define the relative rarity of each species based on the known distribution⁸ at the time and the value of the roost type, assuming that roosts such as feeding perches are of lower value than maternity roosts or sites that have a high level of fidelity.

2.6 LIMITATIONS

The surveyors conducting the PRA survey did not hold a Natural England Level 2 Bat Licence, therefore the Potential Roosting Features (PRFs) could not be inspected for evidence of bats. This is not considered to be a significant constraint on the findings of this report given that emergence surveys and hibernation surveys (the later by a surveyor holding a Level 2 Bat Licence) were completed in accordance with BCT Guidelines (2023).

⁷ Reason, P.F. and Wray, S. (2023). *UK Bat Mitigation Guidelines: a guide to impact assessment, mitigation and compensation for developments affecting bats*. Version 1.1. Chartered Institute of Ecology and Environmental Management, Ampfield.

⁸ It should be noted that there are regular changes to our understanding of distribution as further studies are undertaken.



3 RESULTS

3.1 DESK STUDY

The desk study returned 24 records of bats within 2km of the Site. Records included common pipistrelle *Pipistrellus pipistrellus* and Noctule *Nyctalus noctula*. The closest record was a common pipistrelle near Lizard Lane c.608m south of the Site.

3.1.1 DESIGNATED SITES

A summary of statutory and non-statutory designated sites is provided in Table 2. In addition, the site is within a SSSI Impact Risk Zone (IRZ), however the development is not of a type that triggers consultation between the LPA and Natural England. A 2km search was carried out for statutory designated sites.

DESIGNATION	SITE NAME	REASON FOR DESIGNATION	DISTANCE FROM SITE
Statutory Designated Sites			
Local Nature Reserve (LNR)	Marsden Old Quarry	• Magnesian limestone grassland • Lowland meadows and pasture scrub.	24m
SSSI	Durham Coast	• Contains most of the paramaritime Magnesian limestone vegetation in the UK. • Supports nationally important numbers of wintering shore birds.	430m
Special Area of Conservation (SAC)	Durham Coast	• Vegetated sea cliffs on magnesian limestone. • Unique vegetation consisting complex mosaic habitat.	430m
LNR	Harton Downhill	• Magnesian limestone grassland.	990m
SSSI	Cleadon Hill	• Magnesian Limestone grassland.	1475m
LNR	Cleadon Hills	• Magnesian limestone and wildflower community.	1475m



DESIGNATION	SITE NAME	REASON FOR DESIGNATION	DISTANCE FROM SITE
Non-Statutory Designated Sites			
Local Wildlife Site (LWS)	Kitchener Road	Species-rich grassland	1100m
LWS	Lizard Lane Cutting	Magnesian limestone grassland with bird's-foot trefoil, eyebright and fairy flax.	500m
LWS	Marsden Quarry	Magnesian limestone grassland with	450m
LWS	The Leas	Complex mosaic of different grasslands. These include. - Neutral grassland - Species – rich Magnesian limestone grassland	1400m
LWS	Whitburn Firing Range	The site is of national importance for golden plover and has significant assemblages of: - Lapwing - Redshank - Oystercatcher - Ringed plover	2000m
LWS	Whitburn Point	The site comprises priority habitats within the Durham Biodiversity Action plan: - Ponds - Lowlands meadows and pasture - Broadleaf woodland	1900m

3.1.2 EUROPEAN PROTECTED SPECIES LICENCING FOR BATS

There were no EPS licences returned from the desk study for bats within 2km of the Site.



3.1.3 LANDSCAPE CONTEXT

A review of aerial imagery and Ordnance Survey mapping shows that land use in the surrounding area comprised a residential area to the north of the Site, recreational golf course to the south and south-east. The northern Site boundary abuts the Marsden Old Quarry Local Nature Reserve (Table 3). The Site is within 2km of the Durham and Northumberland coastline SSSI/SPA.

The wider area mainly consists of agricultural fields divided by hedgerows, providing good connectivity to the Site for commuting bats. Marsden Quarry is approximately 400m south-east of the Site.



3.2 FIELD SURVEYS

3.2.1 PRELIMINARY ROOST ASSESSMENT

TABLE 5: PBRA RESULTS FOR BUILDINGS

BUILDING REFERENCE: BUILDING 1 (MAIN BUILDING)	
DESCRIPTION	Building 1 is a two – storey residential dwelling. The building comprises stone and mortar with shiplap cladding covering the majority of the upper two – thirds on the west, south and eastern aspect (Image 4). There are consistent gaps in the timber cladding leaving space between the stone wall and timber (Image 2). There is plastic guttering, soffits and roof capping are present around most of the building. The southern aspect of the building features a balcony constructed of wooden decking boards and timber posts. The roof is multi-level comprising concrete inter-locking tiles with plastic fascia’s on south, east and western aspects. There is one are of flat felt roofing above dormer windows on the northern aspect.
PRF	Known roosts: • Timber cladding on the south – west aspect. (Image 1) • Timber cladding/guttering on the southern aspect. (Image 3) • Balcony on the southern aspect. (Image 3) There are further opportunities for roosting bats including areas of damaged cladding, a gap below a window on the second storey south-west aspect, there are gaps between the soffits and the wall.
SUITABILITY	Known roost



IMAGE 1



IMAGE 2





IMAGE 3



IMAGE 4






BUILDING REFERENCE: BUILDING 2 (OUT BUILDING)	
DESCRIPTION	Building 2 is a small, single – storey out building with shiplap timber cladding, flat felt roofing and plastic fascias (Image 5). There was no internal access to the structure. There were extensive cobwebs covering gaps in the fascias and the small gaps found in the cladding (image 6) indicating no recent use by bats.
PRF	None
SUITABILITY	Negligible

IMAGE 5



IMAGE 6



**FIGURE 4: DUSK EMERGENCE SURVEY (03/06/2025)**

3.2.2 DUSK EMERGENCE SURVEYS

3.2.2.1 Visit 1: Dusk Emergence Survey: Main Building

Three species of bat were recorded during the survey: common pipistrelle, soprano pipistrelle *pipistrellus pygmaeus* and nathusius pipistrelle *pipistrellus nathusii*. The first bat identified was a common pipistrelle, heard not seen at 8:25pm, 33 minutes after sunset.

The majority of bat activity was attributed to common pipistrelle (see figure 5). No sightings were made, most activity was recorded by surveyor at position four, to the eastern aspect of the building where bats were commuting. No emergences were observed during the survey, however four day roosts were identified through infrared footage analysis from the camera located at position 3 located in the garden to the south eastern aspect of the building (Image 5), this was a position covered only by a camera and bat detector.

The roosts have been classified as day roosts used by individual bats, most likely males or non-breeding females, during the late summer.

3.2.2.2 Visit 2: Dusk Emergence Survey: Main Building

Four species of bat were recorded during the survey: common pipistrelle, Nathusius' pipistrelle, *Myotis spp.* and noctule. The first bat identified was a common pipistrelle, heard not seen 7:04pm, 7 minutes before sunset.




The majority of bat activity was attributed to common pipistrelle. No sightings were made, most activity was recorded by surveyor at position three where bats were commuting and social calling. No emergences were observed by surveyors or from the infrared footage analysis.

3.2.2.3 Visit 3: Dusk Emergence Survey: Main Building

Two species of bat were recorded during the survey: Nathusius' pipistrelle and common pipistrelle. The first bat identified was a Nathusius' pipistrelle at 10:03pm, 33 minutes after sunset, heard and seen by surveyors at position two and three.

The majority of bat activity was attributed to Nathusius' pipistrelle. A total of 228 calls from Nathusius' pipistrelles were recorded (See figure 5) and there were high levels of feeding activity in the garden to the south of the property which was observed by surveyor at position 3. (See Figure 4). No roosts were observed during the survey or the infrared footage analysis.

FIGURE 5: BAT CALL PASSES DURING DUSK EMERGENCE SURVEYS



3.2.3 Bat Hibernation Surveys

3.2.3.1 Hibernation Survey 1: 18/11/2024

A hibernation survey was carried out by a licenced ecologist on the main building to identify evidence of hibernating bats. No bats were identified during the survey.



3.2.3.2 Hibernation Survey 2: 09/01/2025

A second survey was carried out by a licenced ecologist on the main building. No bats were identified during the survey.

Given one specific building is being affected by the development, further assessment such as remote monitoring is not considered to be necessary as this method has limited ability to determine a specific hibernaculum.

3.2.3.3 Summary

Overall, the Site is considered to be of local value in relation to bats with the landscape affording commuting /foraging habitats for local bats and roosting opportunities within the main building. Four day roosts were identified after analysis of the infrared camera footage from the first dusk emergence survey in August 2024, showing one emergence per roost. It is likely that these bats were male or non-breeding females that were either common or Nathusius' pipistrelles.

The garden within the Site boundary also provides good habitat for foraging bats. Bats were observed feeding extensively within the garden during the June 2025 dusk emergence survey.

4 SITE ASSESSMENT

4.1 SITE ASSESSMENT

This assessment is based on survey effort undertaken to date. The following section assesses the impact of the current development proposals on bats alongside avoidance, mitigation and compensation measures designed to address these impacts.

4.1.1 ROOSTS

Four day-roosts were confirmed in the timber cladding on the south and southeastern aspects of the main building. The species are likely to be common or Nathusius' pipistrelle. Development of the Site therefore has potential to directly impact confirmed bat roosts. Given the consistent nature of the cavities within the timber cladding bats could utilise potential roosting features additional to those already identified as roosts.

4.1.2 COMMUTING AND FORAGING HABITAT

The gardens on Site provide good foraging resources for local bats. High levels of foraging activity were observed in the gardens during the June 2025 survey and high levels of foraging pipistrelle bat species consistently detected across all surveys.

The trees within the garden offer connectivity to the wider landscape, which offers further commuting foraging opportunities in areas of cropland and hedgerows in the surrounding area.



4.2 ASSESSMENT OF VALUE

Overall, the roosts present are of site value to roosting bats.

4.3 IMPACT ASSESSMENT

The following impacts are based on the survey work to date and current plans provided by the client as shown in section 1.3.

As a result of the assessment completed and the nature of the proposed works, the likely impacts, without appropriate avoidance measures, mitigation and/or compensation scheme are:

- Potential disturbance and harm to roosting bats, should they be present at the time of any construction works.
- Loss of existing roosting opportunities provided by the building, and loss/disturbance (depending on final detailed plans) of four confirmed roost sites of up to local value.
- Minor loss of foraging/commuting habitat for bats within the site during the construction phase.
- Minor disturbance resulting from the proposed development through increased noise and lighting across the site during the construction phase.



5 RECOMMENDATIONS

5.1 AVOIDANCE MEASURES

The following measures should be incorporated into the design of the development, including the construction phase, to avoid and reduce impacts on wildlife:

- All construction activities will be programmed to daytime hours where possible in order to reduce disturbance to foraging and commuting bats.

5.2 MITIGATION STRATEGY

The following mitigation measures are proposed to address impacts on the wildlife that can't be avoided:

- **Demolition/extension enabling works will not take place without an appropriate Natural England licence to be applied for once planning permission received.**
- Timing of works will avoid the summer months.
- Demolition/extension enabling will be undertaken under the terms of the relevant Natural England licence and working methods will include:
 - a) Removal of key features around potential bat roosting features by hand.
 - b) Supervision of the removal of key features by a suitably qualified and licenced ecologist.
- Updating surveys will be required if demolition/extension enabling works have not commenced within 12 months of the last dusk emergence survey.

5.3 COMPENSATION SCHEME

Compensation is proposed to address the impacts on bats that cannot be avoided:

- Bat roosting opportunities will be provided in the form of bat bricks (double the number of roosts impacted). For more information, see Appendix E.



APPENDICES



APPENDIX A – POLICY AND LEGISLATION

The Wildlife and Countryside Act 1981

The Wildlife and Countryside Act 1981⁹, as amended by the Countryside and Rights of Way Act (CROW) 2000¹⁰ and the Natural Environment and Rural Communities Act (NERC) 2006¹¹, is the main legislation that protects wildlife in Great Britain and is the mechanism for defining and protecting nationally important Sites of Special Scientific Interest (SSSI). The legislation makes it offence to:

- Intentionally kill, injure or take any wild bird or their eggs or nests (with certain exceptions) and disturb any bird species listed under Schedule 1 to the Act, or its dependent young while it is nesting;
- Intentionally kill, injure or take any wild animal listed under Schedule 5 to the Act; intentionally or recklessly damage, destroy or obstruct any place used for shelter or protection by any wild animal listed under Schedule 5 to the Act; intentionally or recklessly disturb certain Schedule 5 animal species while they occupy a place used for shelter or protection; and
- Pick or uproot any wild plant listed under Schedule 8 of the Act. Schedule 9, Part II of the Act also lists many species for which it is an offence to plant, or otherwise cause to grow, in the wild. Any material containing Japanese knotweed is also identified as controlled waste under the Environmental Protection Act 1990¹² and must be disposed of properly at licenced landfill according to the Environmental Protection Act (Duty of Care) Regulations 1991¹³.

The Conservation of Habitats and Species Regulations 2017

The Conservation of Habitats and Species Regulations 2017¹⁴ (the ‘Habitat Regulations’), as amended by The Conservation of Habitats and Species (Amendment) (EU Exit) Regulations 2019¹⁵, establish the requirements for protecting sites that are internationally important for threatened habitats and species – the National Site Network – and thus the requirement for a ‘Habitat Regulations Assessment’ of plans or developments with potential to affect them.

⁹ Wildlife and Countryside Act 1981. Available from: <https://www.legislation.gov.uk/ukpga/1981/69>

¹⁰ The Countryside and Rights of Way Act 2000. Available from: <https://www.legislation.gov.uk/ukpga/2000/37/contents>

¹¹ Natural Environment and Rural Communities Act 2006. Available from:

<https://www.legislation.gov.uk/ukpga/2006/16/contents>

¹² The Environmental Protection Act 1990. Available from: <https://www.legislation.gov.uk/ukpga/1990/43/contents>

¹³ The Environmental Protection Act (Duty of Care) Regulations 1991. Available from:

<https://www.legislation.gov.uk/uksi/1991/2839/made>

¹⁴ The Conservation of Habitats and Species Regulations 2017. Available from:

<https://www.legislation.gov.uk/uksi/2017/1012/contents/made>

¹⁵ The Conservation of Habitats and Species (Amendment) (EU Exit) Regulations 2019

Available from: <https://www.legislation.gov.uk/ukdsi/2019/978011179512/contents>



The Habitat Regulations also establish the strict protection of some species – European Protected Species – and make it an offence to deliberately capture, kill or disturb certain wild animals, and to damage or destroy a breeding site or resting place of such an animal even if the animal is not present at the time.

Government Circular ODPM 06/2005 Biodiversity and Geological Conservation (England only)

This Circular provides administrative guidance on the application of the law relating to planning and nature conservation as it applies in England.

Part IV – *Conservation of Species protected by Law* states that the presence of a protected species is a material consideration when considering a development proposal that may result in harm to the species or its habitat and that planning authorities must have regard to European Protected Species protected under the Habitat Regulations.

The presence or otherwise of European Protected Species, and the extent that they may be affected by the proposed development, must be established before the planning permission is determined, otherwise all relevant material considerations may not have been addressed in making the decision.



APPENDIX B – VALUE OF ECOLOGICAL RECEPTORS

VALUE	EXAMPLES
International	• An internationally designated site or candidate site (SPA, pSPA, SAC, cSAC, pSAC, Ramsar site) or an area which meets the designation criteria for such sites. • Internationally significant and viable areas of a habitat type listed in Annex 1 of the Habitats Directive, or smaller areas of such habitat, which are essential to maintain the viability of a larger whole. • Any regularly occurring, globally threatened species. • A regularly occurring population of an internationally important species, which is threatened or rare in the UK, of uncertain conservation status • A regularly occurring, nationally significant population/number of any internationally important species.
National	• A nationally designated site (<u>e.g.</u> SSSI, NNR) or a discrete area which meets the published selection criteria for national designation (<u>e.g.</u> SSSI selection guidelines) irrespective of whether or not it has yet been notified. • A viable area of a UK BAP priority habitat, or smaller areas of such habitat which are essential to maintain the viability of a larger whole. • A regularly occurring significant number/population of a nationally important species <u>e.g.</u> listed on the Wildlife and Countryside Act 1981 (as amended). • A regularly occurring population of a nationally important species that is threatened or rare in the county or region. • A feature identified as being of critical importance in the UK BAP.
Regional / County	• Viable areas of key habitat identified in the Regional or County BAP or smaller areas of such a habitat, which are essential to maintain the viability of the larger whole. • Regional/county significant and viable areas of key habitat identified as being of regional value in the appropriate English Nature (now Natural England) Natural Area. • A regularly occurring significant population/number of any important species important at a regional/county level. • Any regularly occurring, locally significant population of a species which is listed in a Regional/County Red Data Book or BAP on account of its regional rarity or localisation. • Sites of conservation importance that exceed the district selection criteria but that fall short of SSSI selection guidelines.
City/District/ Borough	• Areas of habitat identified in a District/City/Borough BAP or in the relevant Natural Area profile. • Sites that the designating authority has determined meet the published ecological selection criteria for designation, including



VALUE	EXAMPLES
	Local Nature Reserves selected on District/City/Borough ecological criteria. • Sites/features that are scarce within the District/City/Borough or which appreciably enrich the District/City/Borough habitat resource. • A diverse and/or ecologically valuable hedgerow network. • A population of a species that is listed in a District/City/Borough BAP because of its rarity in the locality or in the relevant Natural Area profile because of its regional rarity or localisation. • A regularly occurring, locally significant number of a District/City/Borough important species during key phases of its life cycle.
Parish	• A feature considered scarce within a Parish or which appreciably enriches the Parish resource.
Local	• Areas identified in a Local BAP or the relevant natural area profile. • Sites/features which area scarce in the locality or which are considered to appreciably enrich the habitat resource within the local context, e.g. species-rich hedgerows. • Local Nature Reserves selected on Parish/Local ecological criteria. • Significant numbers/population of a locally important species <u>e.g.</u> one which is listed on the Local BAP. • Any species, populations or habitats of local importance.
Low	• Habitats of moderate to low diversity which support a range of locally and nationally common species, the loss of which can be easily mitigated.



APPENDIX C – BAT SUITABILITY AND SURVEY EFFORT

Classifications of suitability are based on those provided within the Bat Conservation Trust Good Practice Survey Guidelines², with the table below taken from page 44 of the guidelines (table 4.1).

POTENTIAL SUITABILITY	DESCRIPTION	
	ROOSTING HABITATS IN STRUCTURES	POTENTIAL FLIGHT-PATHS AND FORAGING HABITATS
None	No habitat features on site likely to be used by any roosting bats at any time of the year (i.e. a complete absence of crevices/suitable shelter at all grounds/underground levels).	No Habitat features on site likely to be used by any commuting or foraging bats at any time of the year (i.e. no habitats that provide continuous lines of shade/protection for flight-lines or generate/shelter insect populations available to foraging bats.
Negligible (a)	No obvious habitat features on site likely to be used by roosting bats; however, a small element of uncertainty remains as bats can be use small and apparently unsuitable features on occasion	No obvious habitat features on site likely to be used as flight-paths or by foraging bats; however, a small element of uncertainty remains in order to account for non-standard bat behaviour.
Low	A structure with one or more potential roost sites that could be used by individual bats opportunistically at any time of the year. However, these potential roost sites do not provide enough space, shelter, protection, appropriate conditions(b) and/or suitable surrounding habitat to be used on a regular basis or by larger numbers of bats (i.e. unlikely to be suitable for maternity and not classic cool/stable hibernation site, but could be used by individual hibernating bats(c))	Habitat that could be used by small numbers of bats as flight-paths such as gappy hedgerow or unvegetated stream, but isolated, i.e. not very well connected to the surrounding landscape by other habitats. Suitable, but isolated habitat that could be used by small numbers of foraging bats such as a lone tree (not in a parkland situation) or a patch of scrub.



POTENTIAL SUITABILITY	DESCRIPTION	
	ROOSTING HABITATS IN STRUCTURES	POTENTIAL FLIGHT-PATHS AND FORAGING HABITATS
Moderate	A structure with one or more potential roost sites that could be used by bats due to their size, shelter, protection conditions(b) and hibernation – categorisation described in this table is made irrespective of species conservation status, which is established after presence is confirmed	Continuous habitat connected to the wider landscape that could be used by bats for flight-paths such as lines of trees and scrub or linked back gardens. Habitat that is connected to the wider landscape that could be used by bats for foraging such as trees, scrub, grassland, or water.
High	A structure with one or more potential roost sites that are obviously suitable for use by larger numbers of bats on a more regular basis and potentially for longer periods of time due to their size, shelter, protection, conditions(b) and surrounding habitat. These structures have a potential to support high conservation status roosts, e.g. maternity or classic cool/stable hibernation site.	Continuous high-quality habitat that is well connected to the wider landscape that is likely to be used regularly by bats for flight-paths such as river valleys. Streams, hedgerows, lines of trees and woodland edge. High-quality habitat what is well connected to the wider landscape what is likely to be used regularly by foraging bats such as broadleaved woodland, tree-lined watercourses and grazed parkland. Site is close to and connected to known roosts,



POTENTIAL SUITABILITY	DESCRIPTION	
	ROOSTING HABITATS IN STRUCTURES	POTENTIAL FLIGHT-PATHS AND FORAGING HABITATS
	a. Negligible is defined as ‘so small or unimportant as to be not worth considering, insignificant’. This category may be used where there are places that a bat could roost or forage (due to one attribute) but it is unlikely that they actually would (due to another attribute) b. For example, in terms of temperature, humidity, height above ground level, light levels or levels of disturbance c. Evidence from the Netherlands shows mass swarming events of common pipistrelle bats in the autumn followed by mass hibernation in a diverse range of building types in urban environments (Korsten et al., 2016 and Jansen et al., 2022). Common pipistrelle swarming has been observed in that UK (Bell, 2022 and Tomlinson, 2020) and winter hibernation of numbers of this species has been detected at Seaton Delaval Hall in Northumberland (National Trust, 2018). This phenomenon requires some research in the UK, but ecologists should be aware of the potential for larger numbers of this species to be present during the autumn and winter in prominent buildings in the landscape, urban or otherwise.	

The classification of the suitability relates to the level of further survey recommended.


SURVEY EFFORT AND TIMING DEPENDING ON SUITABILITY OF THE STRUCTURE OR TREE (TABLES 7.1-7.2 IN THE BCT GUIDELINES)			
	LOW ROOST SUITABILITY	MODERATE ROOST SUITABILITY	HIGH ROOST SUITABILITY
Survey Effort	One dusk emergence (structures)	Two separate dusk emergence survey visits	Three separate dusk emergence survey visits
Timings	May-August (structures) No further survey (trees)	May to September. At least one must be in the optimum period (May to August)	May to September. At least two must be in the optimum period (May to August)
If bats are recorded	If bats emerge during surveys, the survey schedule will be adjusted to increase the survey effort so that enough information can be collected to characterise the roost and provide data should a Natural England Licence be required.		



APPENDIX D - BAT ROOST EMERGENCE POINT LOCATIONS

SURVEY NUMBER	DESCRIPTION	IMAGE
1	Common Pipistrelle Day roosts	
1	Common Pipistrelle Day roost	



SURVEY NUMBER	DESCRIPTION	IMAGE
1	Pipistrelle sp. Day roost	



APPENDIX E – BAT BRICK SPECIFICATION

BAT BOX SPECIFICATION	
Ibstock Enclosed Bat Box 'B' or similar.	Dimensions
 Small Red 215 x 215 mm	Small Box: • Height: 215mm • Width: 215mm • Depth: 105mm • Weight: 5.8kg
	Large Box: • Height: 290mm • Width: 215mm • Depth: 105mm • Weight: 8kg
Description: The Enclosed Bat Box 'B' from Ibstock is designed for the pipistrelle bat. It is ideal for new builds as it can be integrated directly into the brickwork to produce a discrete but attractive home for bats. The box has an attractive bat motif on the front and is both durable and fully frost resistant. The inside of the box is designed to create several roosting zones which are ideal for crevice dwelling bats. The bottom entrance means that no maintenance is required as droppings will simply fall out the bottom. The box comes in two sizes and multiple colours in order to fit in with a development’s aesthetics.	
Placement should consider the following: • The roost features should be positioned at a southerly aspect (south-west to south-east). • Roosting features should be positioned over a range of aspects and locations in order to provide options for bats with different microclimate conditions. • Positions chosen should be sheltered from the wind but receive direct sunlight throughout the day. • A clear flight path into the roost is preferable with unrestricted/uncluttered access. • Roosts should be positioned away from artificial light sources such as streetlights or security lighting.	



BIODIVERSE

CONSULTING

Dissington Hall
Dalton
Newcastle upon Tyne
NE18 0AD

www.biodiverseconsulting.co.uk